

What is claimed is:

1. An information processing system comprising:

a server computer system which holds pieces of data as processing objects and characteristic values calculated on the basis of the pieces of data while associating the pieces of data with the characteristic values respectively, accepts a characteristic value as information requesting a piece of data as a processing object from a requester and selects the piece of data associated with the accepted characteristic value from the held pieces of data so as to provide the piece of data to the requester; and

a client-side computer system which is communicatably connected to the server computer system and acquires pieces of data as processing objects from the server computer system.

2. A computer system comprising:

a holding unit for holding pieces of data as processing objects and characteristic values calculated on the basis of the pieces of data while associating the pieces of data with the characteristic values respectively; and

a providing unit for accepting a characteristic value as information requesting a piece of data as a processing object from a requester and selecting the piece of data associated with the accepted characteristic value from the pieces of data held by the holding unit so as to provide the piece of data to the requester.

3. A computer system according to Claim 2, further comprising an operation unit for calculating a characteristic value on the basis of a piece of data as a processing object, wherein the operation unit divides the piece of data as a
5 processing object into a sequence of data fragments each having a predetermined size, calculates characteristic values based on the data fragments in accordance with the data fragments respectively, holds the data fragments and the characteristic values in the holding unit while associating the data fragments
10 with the characteristic values respectively, generates a sequence of characteristic values corresponding to the sequence of data fragments, calculates a characteristic value based on the sequence of characteristic values, and holds the sequence of characteristic values and the characteristic value
15 calculated based on the sequence of characteristic values in the holding unit while associating the sequence of characteristic values with the characteristic value calculated based on the sequence of characteristic values.

4. A computer system according to Claim 3, wherein the
20 operation unit calculates the characteristic value based on the sequence of characteristic values by a repetitive operation for respective characteristic values contained in the sequence of characteristic values at the time of calculation of the characteristic value based on the sequence of characteristic
25 values; and

when the sequence of characteristic values comprises N characteristic values, the operation unit holds a result of the repetitive operation for one to N-1 characteristic values in the holding unit.

5 5. A computer system according to Claim 2, further comprising an operation unit for calculating a characteristic value on the basis of a piece of data as a processing object, wherein the operation unit divides the piece of data as a processing object into a sequence of data fragments each having
10 a predetermined size, calculates characteristic values based on the data fragments in accordance with the data fragments respectively, compares the size of each calculated characteristic value with the predetermined size, holds the data fragment per se in the holding unit when the predetermined size
15 is smaller than the size of the calculated characteristic value but holds the data fragment and the characteristic value associatively in the holding unit when the predetermined size is larger than the size of the calculated characteristic value, generates a characteristic value-containing sequence
20 corresponding to the sequence of data fragments, calculates a characteristic value based on the characteristic value-containing sequence, and holds the characteristic value-containing sequence and the characteristic value calculated based on the characteristic value-containing
25 sequence in the holding unit while associating the

characteristic value-containing sequence with the
characteristic value calculated based on the characteristic
value-containing sequence.

6. A computer system according to Claim 2, wherein the
5 holding unit holds a characteristic value calculated on the basis
of a characteristic value set containing at least one
characteristic value; and

the providing unit provides respective characteristic
values contained in a characteristic value set to the requester
10 when a characteristic value accepted as information requesting
a piece of data as a processing object is associated with the
characteristic value set.

7. A computer system according to Claim 2, wherein the
holding unit holds information for specifying a characteristic
15 value calculation method in association with the characteristic
value.

8. A computer system according to Claim 2, wherein the
holding unit holds the characteristic value containing
information concerning a predetermined calculation state at a
20 point of time of calculation of the characteristic value.

9. An information processing method, comprising the
steps of:

holding pieces of data as processing objects and
characteristic values calculated on the basis of the pieces of
25 data while associating the pieces of data with the characteristic

values respectively; and

accepting a characteristic value as information
requesting a piece of data as a processing object from a requester
and selecting the piece of data associated with the accepted
5 characteristic value from the held pieces of data so as to provide
the piece of data to the requester.

10. A program executed by a computer system, comprising:

a procedure for holding pieces of data as processing
objects and characteristic values calculated on the basis of
10 the pieces of data while associating the pieces of data with
the characteristic values respectively; and

a procedure for accepting a characteristic value as
information requesting a piece of data as a processing object
from a requester and selecting the piece of data associated with
15 the accepted characteristic value from the held pieces of data
so as to provide the piece of data to the requester.